



Find ICD-10 Codes Faster With SuperCoder's CPT® to ICD-10 Crosswalk Update

2016-02-24

If your subscription includes the ICD-10 CrossRef, you may have noticed that it's gotten a facelift.

The update simplifies navigation by allowing you to click a letter to see all crosswalked ICD-10-CM codes beginning with that letter. You no longer have to scroll through one long list of codes!

You can see an example below from a CPT® code details page. In the image, note how selecting the letter K (shown in orange) results in a list of codes that begin with the letter K. Tip: You'll find the same clickable letters if you access the CrossRef on the Coding Tools page in the CPT® ? ICD-10-CM widget.

What is the ICD-10 CrossRef? The ICD-10 CrossRef shows the ICD-10 codes most commonly reported together with a CPT® code based on government and private payer data. If you want to confirm that an ICD-10-CM code will support medical necessity for a CPT® code you're reporting, be sure to check your individual payer's policy. For Medicare, SuperCoder's LCD Lookup can help speed your policy search.

Related Articles

Illustration

Compliance Tools

Set Order

Crosswalks

1. Open the ICD-10 CrossRef tab on a CPT® code details page.

MODIFIERS - P MG
ICD-10 CROSSREF ICD-9 VOL1 CROSSREF ICD-9 VOL3 CROSSREF
ANESTHESIA CROSSWALK® & RVG® PQRS CPT® PCS CROSSWALK

C D K N Q

2. Click the letter corresponding to the first letter of the ICD-10 code(s) you want to review.

K31.5 Obstruction of duodenum
K40.00 Bilateral inguinal hernia, with obstruction, without gangrene, not specified as recurrent
K40.30 Unilateral inguinal hernia, with obstruction, without gangrene, not specified as recurrent
K40.31 Unilateral inguinal hernia, with obstruction, without gangrene, recurrent
K40.90 Unilateral inguinal hernia, without obstruction or gangrene, not specified as recurrent

3. Review the ICD-10 codes commonly reported with your CPT® code that begin with the letter you chose.